

MANIFOLD BY-PASS WITHOUT HOLE 16x2






TECHNICAL DATA SHEET		
Product Name	Manifold By-Pass Without Hole 16x2	
Working Temperature	Max. 120°C	
Pressure Class	Max. 10 Bar	
Intended Use	Plumbing Systems	
Code	14.01.878	
Dn	15	

DIMENSIONs





	MATERIALS	
BODY	BRASS (CW617N)/(CW614N)	RING HOSE ADAPTER
COVER	BRASS (CW617N)/(CW614N)	MILE
PLUG	BRASS (CW617N)/(CW614N)	NUT
CYLINDER HEAD GASKET	PTFE (TEFLON)	0-RING
UNION	BRASS (CW617N)/(CW614N)	

MATERIALS		
RING	BRASS (CW617N)/(CW614N)	
HOSE ADAPTER	BRASS (CW617N)/(CW614N)	
MILE	BRASS (CW617N)/(CW614N)	
NUT	BRASS (CW617N)/(CW614N)	
0-RING	NBR	





SURFACES FINISH		
BODY	NICKEL	
COVER	NICKEL	
NUT	NICKEL	
UNION	NICKEL	

INSTALLATION AND USAGE INSTRUCTION

1- Do not unpack the valve until installation to prevent falling of any unwanted substance that may affect the working of valve.

2- Take measures against any possible damage that may occur during transport and shipment.

3- Clean away every unwanted substance in your system before installation.

4- Valve should be off position while installing.

5- Be careful that the thread length of the part that will be installed to the valve will not be too longer or too shorter than the thread length of the valve.

6- While installing, grab the valve by the appropriate tool from the across flats where you'll install it.

7- During installation do not use excessive adhesive or any unsuitable substance.

8- Use the valve fully open or fully closed position.

9- Do not paint the valve. Do not expose the valve with abbrasive chemicals.

10- Do not use any other tools for opening or closing the valve and do not remove the handle.

11- In case of any damage or disorder , valve should be changed by authorities.

12- Complying with the installation and usage instruction is compulsory. Otherwise, the product will be out of guarantee.

13- Do not forget to get the document of guarantee. This document is valid only with the related bill.

KAYALAR GRUP 1970